

Certificate

Registration No.: PV 50156384

Page 1

Report No.: 12604780 002

License Holder:
Kyocera Corporation
6 Takeda, Tobadono-cho
Fushimi-ku, Kyoto
612-8501 JAPAN

Product:
PV Module
Type:
FDxxxGH-2, FDxxxGH-2P
FDxxxGH-2C, FDxxxGH-2PC
(xxx = 130, 135)

Manufacturing Plant:
Kyocera Corporation
Mie Ise Plant
600-10 Shimonochi-cho
Ise-shi, Mie
516-8510 JAPAN

Basis:

- IEC 61730-1:2004
IEC 61730-2:2004
EN 61730-1:2007
EN 61730-2:2007
"Photovoltaic (PV) module safety qualification"



- Periodic Inspection
- Qualified, IEC 61215
- Safety tested, IEC 61730

- Factory Inspection**
To document the consistent quality of the product factory inspections are performed periodically.

Remarks:

- IEC EN 61730 consists of part 1 (Requirements for construction) and part 2 (Requirements for testing).
- The above listed PV modules fulfil the requirements of Application Class A (Safety Class II). They may be used in PV plants at a maximum system voltage (Voc at STC) of up to **1000 VDC**.
- The fire test (IEC 61730-2 / MST 23) was not performed.
- The details of the factory inspection are documented in report no. 21210176.

Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.

The certificate has a validity of 5 years counting from date of issue.



Certification body


Dipl.-Ing. W. Herlitschke

Yokohama, 01 June 2009

TÜV Rheinland Japan Ltd. – Yokohama 222-0033, Japan

Certificate

Registration No.: PV 50156384

Page 2

Report No.: 12604780 002

License Holder:
Kyocera Corporation
6 Takeda, Tobadono-cho
Fushimi-ku, Kyoto
612-8501 JAPAN

Product:
PV Module
Type:
FDxxxGH-2, FDxxxGH-2P
FDxxxGH-2C, FDxxxGH-2PC
(xxx = 130, 135)

Manufacturing Plant:
Kyocera (Tianjin) Solar Energy Co., Ltd.
Tianjin Economic-Technological Development Area
16 XiangAn Road (5th Avenue)
Tianjin 300457 P.R. China

Basis:

- IEC 61730-1:2004
IEC 61730-2:2004
EN 61730-1:2007
EN 61730-2:2007
"Photovoltaic (PV) module safety qualification"

- Factory Inspection**
To document the consistent quality of the product factory inspections are performed periodically.



- Periodic Inspection
- Qualified, IEC 61215
- Safety tested, IEC 61730

Remarks:

- IEC EN 61730 consists of part 1 (Requirements for construction) and part 2 (Requirements for testing).
- The above listed PV modules fulfil the requirements of Application Class A (Safety Class II). They may be used in PV plants at a maximum system voltage (Voc at STC) of up to **1000 VDC**.
- The fire test (IEC 61730-2 / MST 23) was not performed.
- The details of the factory inspection are documented in report no. 21211470.


Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.

The certificate has a validity of 5 years counting from date of issue.



Certification body


Dipl.-Ing. W. Herlitschke

Yokohama, 01 June 2009

TÜV Rheinland Japan Ltd. – Yokohama 222-0033, Japan

Certificate

Registration No.: PV 50156384

Page 3

Report No.: 12604780 002

License Holder:
Kyocera Corporation
6 Takeda, Tobadono-cho
Fushimi-ku, Kyoto
612-8501 JAPAN

Product:
PV Module
Type:
FDxxxGH-2, FDxxxGH-2P
FDxxxGH-2C, FDxxxGH-2PC
(xxx = 130, 135)

Manufacturing Plant:
KYOCERA Solar Europe S. R. O.
Kralovsky Vrch 1977
43201 Kadan
Czech Republic

Basis:

- IEC 61730-1:2004**
IEC 61730-2:2004
EN 61730-1:2007
EN 61730-2:2007
"Photovoltaic (PV) module safety qualification"



- **Periodic Inspection**
- **Qualified, IEC 61215**
- **Safety tested, IEC 61730**

- Factory Inspection**
To document the consistent quality of the product factory inspections are performed periodically.

Remarks:

- IEC EN 61730 consists of part 1 (Requirements for construction) and part 2 (Requirements for testing).
- The above listed PV modules fulfil the requirements of Application Class A (Safety Class II). They may be used in PV plants at a maximum system voltage (Voc at STC) of up to **1000 VDC**.
- The fire test (IEC 61730-2 / MST 23) was not performed.
- The details of the factory inspection are documented in report no. 21207674.

Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.

The certificate has a validity of 5 years counting from date of issue.



Certification body

Yokohama, 01 June 2009

TÜV Rheinland Japan Ltd. – Yokohama 222-0033, Japan


Dipl.-Ing. W. Herlitschke

Certificate

Registration No.: PV 50156384

Page 4

Report No.: 12604780 002

License Holder:

Kyocera Corporation
6 Takeda, Tobadono-cho
Fushimi-ku, Kyoto
612-8501 JAPAN

Product:

PV Module

Type:

FDxxxGH-2, FDxxxGH-2P
FDxxxGH-2C, FDxxxGH-2PC
(xxx = 130, 135)

Manufacturing Plant:

KYOCERA MEXICANA, S.A. DE C.V.
BLVD. BUENA VISTA OTAY No.2055
OTAY UNIVERSIDAD 22427
TIJUANA, B.C. MEXICO

Basis:

- IEC 61730-1:2004
IEC 61730-2:2004
EN 61730-1:2007
EN 61730-2:2007
"Photovoltaic (PV) module safety qualification"



- Periodic Inspection
- Qualified, IEC 61215
- Safety tested, IEC 61730

- Factory Inspection**
To document the consistent quality of the product factory inspections are performed periodically.

Remarks:

- IEC EN 61730 consists of part 1 (Requirements for construction) and part 2 (Requirements for testing).
- The above listed PV modules fulfil the requirements of Application Class A (Safety Class II). They may be used in PV plants at a maximum system voltage (Voc at STC) of up to **1000 VDC**.
- The fire test (IEC 61730-2 / MST 23) was not performed.
- The details of the factory inspection are documented in report no. 12605186 001.

Conditions:

The product test is voluntarily according to technical regulations. Any change of the design, materials, components or processing may require the repetition of some of the qualification tests in order to retain type approval.

The certificate has a validity of 5 years counting from date of issue.



Certification body

Yokohama, 01 June 2009



Dipl.-Ing. W. Herlitschke

TÜV Rheinland Japan Ltd. – Yokohama 222-0033, Japan